


Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Original) The use of a compound of formula I:



FORMULA I

wherein:

n is 0, 1, 2, or 3


the bonds shown with the dashed lines are saturated, or unsaturated with one or more double bonds;

R , and R' are independently selected from hydrogen, alkyl, aryl, $-OH$, $-OR''$, $-SH$, $-SR''$, $-NH_2$, $-NHR''$, $=O$, $=NH$, $=NR''$;

R'' is independently selected from alkyl, aryl,


in the preparation of a medicament for the treatment of a disease requiring a GSK-3 inhibitor.

2. (Original) Use according to claim 1, wherein the compound of formula I is a compound of formula II:




FORMULA II

3. (Original) Use according to claim 1, wherein the compound of formula I is a compound 1:



Compound 1

4. (Currently Amended) Use according to ~~any one of claims~~ claim 1 or 2, wherein the compound of formula I is compound 2:




Compound 2.

5. (Currently Amended) The use of ~~any one of claims claim~~ claim 1 to-4, wherein the disease is Alzheimer's disease, or a tauopathy (Corticobasal degeneration, Pick's disease, supranuclear palsy, etc.), bipolar disorder, diabetes type II, hyperproliferative disease such as cancer, displasais or metaplasais of tissue, psoriasis, arteriosclerosis or restenosis, or chronic inflammatory process.

6. (Currently Amended) The use according to ~~any one of claims claim~~ claim 1 to-4, where the diseases is a chronic neurodegenerative condition including dementias such as Alzheimer's disease, Parkinson's disease, progressive supranuclear palsy, subacute sclerosing panencephalitic parkinsonism, postencephalitic parkinsonism, pugilistic encephalitis, guam parkinsonism-dementia complex, taupathies such as Pick's disease, corticobasal degeneration, supranuclear palsy, etc., frontotemporal dementia, Huntington's disease, AIDS associated dementia, amyotrophic lateral sclerosis, multiple sclerosis, diabetes, especially diabetes type II, and conditions associated with diabetes, neurotraumatic diseases such as acute stroke, mood disorders such as schizophrenia and bipolar disorders, promotion of functional recovery post stroke, cerebral bleeding (for example, due to solitary cerebral amyloid angiopathy), hair loss, obesity, atherosclerotic cardiovascular disease, hypertension, polycystic ovary syndrome, syndrome X, ischaemia, traumatic brain injury, cancer, leucopenia, Down's syndrome, Lewy body disease, cancer and hyperproliferative diseases as hyperplasias, metaplasias, displasias, and immunodeficiency, psoriasis, arteriosclerosis or restenosis, and inflammation and chronic inflammatory processes.

7. (Original) A compound of formula II:




FORMULA II

wherein:

n is 0, 1, 2, or 3


the bonds shown with the dashed lines are saturated, or unsaturated with one or more double bonds.

8. (Original) A compound according to claim 7, wherein the compound of formula II is compound 2:



Compound 2


9. (Original) A compound of formula II:



FORMULA II


for therapeutic use.

10. (Original) A compound of formula 2



for therapeutic use.

11. (Original) A pharmaceutical composition for use as a GSK-3 inhibitor comprising a compound of the formula:



wherein:

n is 0, 1, 2, or 3


the bonds shown with the dashed lines are saturated, or unsaturated with one or more double bonds;

R, and R' are independently selected from hydrogen, alkyl, aryl, -OH, -OR", -SH, -SR", -NH₂, -NHR", =O, =NH, =NR";

R" is independently selected from alkyl, aryl,


together with a pharmaceutically acceptable carrier.

12. (Original) A pharmaceutical composition according to claim 11, wherein the compound of formula I is a compound of formula II:




FORMULA II

13. (Original) A pharmaceutical composition according to claim 11, wherein the compound of formula I is compound 1:




Compound 1

14. (Currently Amended) A pharmaceutical composition according to ~~any one of~~ claims 11 and 12, wherein the compound of formula I is compound 2:



Compound 2.

15. (Original) A method of treating Alzheimer's disease, or a tauopathy (Corticobasal degeneration, Pick's disease, supranuclear palsy, etc.), bipolar disorder, diabetes type II, hyperproliferative disease such as cancer, displasais or metaplasais of tissue, psoriasis, arteriosclerosis or restenosis, or chronic inflammatory process, which comprises administering a compound of formula I:



FORMULA I

wherein:

n is 0, 1, 2, or 3


the bonds shown with the dashed lines are saturated, or unsaturated with one or more double bonds;

R, and R' are independently selected from hydrogen, alkyl, aryl, -OH, -OR", -SH, -SR", -NH₂, -NHR", =O, =NH, =NR";

R" is independently selected from alkyl, aryl.

16. (Original) A method for treating chronic neurodegenerative conditions including dementias such as Alzheimer's disease, Parkinson's disease, progressive supranuclear palsy, subacute sclerosing panencephalitic parkinsonism, postencephalitic parkinsonism, pugilistic encephalitis, guam parkinsonism-dementia complex, taupathies such as Pick's disease, corticobasal degeneration, supranuclear palsy, etc., frontotemporal dementia, Huntington's disease, AIDS associated dementia, amyotrophic lateral sclerosis, multiple sclerosis, diabetes, especially diabetes type II, and conditions associated with diabetes, neurotraumatic diseases such as acute stroke, mood disorders such as schizophrenia and bipolar disorders, promotion of functional recovery post stroke, cerebral bleeding (for example, due to solitary cerebral amyloid

angiopathy), hair loss, obesity, atherosclerotic cardiovascular disease, hypertension, polycystic ovary syndrome, syndrome X, ischaemia, traumatic brain injury, cancer, leucopenia, Down's syndrome, Lewy body disease, cancer and hyperproliferative diseases as hyperplasias, metaplasias, displasias, and immunodeficiency, psoriasis, arteriosclerosis or restenosis, and inflammation and chronic inflammatory processes, which comprises administering a compound of formula I:



FORMULA I

wherein:

n is 0, 1, 2, or 3

the bonds shown with the dashed lines are saturated, or unsaturated with one or more double bonds;

R , and R' are independently selected from hydrogen, alkyl, aryl, $-OH$, $-OR''$, $-SH$, $-SR''$, $-NH_2$, $-NHR''$, $=O$, $=NH$, $=NR''$;

R'' is independently selected from alkyl, aryl.